

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)

Google scholar

update and fragments and command and MPEG

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar

anytime

include citations

Results 1 - 10 of about 153. (0.10 sec)

[\[book\] Introduction to MPEG-7: multimedia content description interface](#)

BS Manjunath, P Salembier, T Sikora, 2002 - books.google.com

... 5 The Union Data Type 57 4.5 MPEG-7-Specific Extensions 58 4.5. ... Cedric Thienot and Michael Wollborn 5.1 Overview 61 5.2 **Fragment Update Command** and Context 63 ...[Cited by 505](#) - [Related articles](#) - [All 2 versions](#)[\[PDF\] *An MPEG-7 tool for compression and streaming of XML data](#)

U Niedermeier, J Heuer, A Hutter, W Stechele ... - IEEE International Conference on Multimedia and Expo, 2002 - iti.gr

... **Update** Context, and the **Fragment Update Command** specifies the ... bit pattern of the **Fragment Update** Context in ... can identify the relevant **Fragment** Payload units by ...[Cited by 40](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)[Binary format](#)

J Heuer, C Thienot, M Wollborn - Introduction to MPEG-7: multimedia content description ..., 2002 - books.google.com

... a child node of the context node and the node on which the **Fragment Update Command** is executed. The nodes in the description tree of an MPEG-7 description are ...[Cited by 10](#) - [Related articles](#) - [All 2 versions](#)[Extensible MPEG-4 textual format \(XMT\)](#)

M Kim, S Wood, LT Cheek - Proceedings of the 2000 ACM workshops on ..., 2000 - portal.acm.org

... the corresponding coded data while the BIFS **update** commands serve ... Figure 5. Mapping of sample XMT- **fragment** for slideshow to MPEG-4 nodes and **command** ...[Cited by 47](#) - [Related articles](#) - [All 3 versions](#)[\[PDF\] *Metadata broadcasting for personalized service: A practical solution](#)

K Kang, JG Kim, H Lee, HS Chang, SJ Yang, Y ... - ETRI journal, 2004 - mit.edu

... According to MPEG-7 Systems, metadata are basically structured into a sequence ... Each FUU consists of a **fragment update command** (FU Command), a **fragment update** ...[Cited by 12](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 6 versions](#)[\[PDF\] *Transport mechanisms for metadata-driven distributed multimedia adaptation](#)

M Ransburg, C Timmerer, H Hellwagner - First International Conference on Multimedia Access ..., 2005 - unfolded.com

... compression algorithm or (3) compressed with the MPEG-7 Binary Format ... The **Fragment Update Command** (FUCCommand) signals how the **Fragment Update** Payload (FUPayload ...[Cited by 9](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

